



SL No	SECTION No	A	B	WEIGHT kg/m
1	S4833	17.00	4.15	0.190
2	S4826	24.00	4.00	0.259
3	10518	76.20	63.50	13.064
4	10517	150.00	50.00	20.250
5	10514	200.00	40.00	21.600

FLAT BAR




SL No	SECTION No	ØA	T	WEIGHT kg/m
1	13643	18.50	1.00	0.148
2	S4831	28.00	5.35	1.028


ROUND TUBE




RECTANGULAR TUBE




PARTITION SECTION




WINDOW SECTION




WINDOW SECTION









TRANSPORT SECTION



WINDOW SECTION




WINDOW SECTION





33556


0.759 kg/m



HEAT SINK SECTION

S4815


7.699 kg/m



INDUSTRIAL SECTION

S4816


0.470 kg/m



ELECTRICAL SECTION

S4817


1.839 kg/m



TEXTILE SECTION

S4818


0.277 kg/m



INDUSTRIAL SECTION

S4819


0.294 kg/m



INDUSTRIAL SECTION

S4820


0.438 kg/m



INDUSTRIAL SECTION

S4821


1.671 kg/m



INDUSTRIAL SECTION

S4822

7.830 kg/m




SQUARE TUBE



S4823


0.723 kg/m



ELECTRICAL SECTION

S4825


3.113 kg/m



HEAT SINK SECTION

S4824


6.774 kg/m



HEAT SINK SECTION

S4827


0.056 kg/m



BEADING SECTION

S4828


0.064 kg/m



BEADING SECTION

S4829


0.062 kg/m



BEADING SECTION

S4830


23.850 kg/m



INDUSTRIAL SECTION

S4832


0.316 kg/m



VENETIAN BLIND SECTION

S4835

0.166 kg/m



TUBE LIGHT SECTION